





2.8_{/12}

13.08°

Pitch Factor: 2.8/12 Degrees: 13.08°






























Bold Definition colors

Colors bursting with rich tones and striking contrasts designed to boost your home's curb appeal.


Sierra Sand




Midnight Mesa



Cliffside



Chestnut Valley



High Definition® colors

A timeless design with patented shadow bands to create exceptional depth and dimension.



GAF's #1-selling shingle offers peace of mind



15-year infinite wind speed protection¹ when installed with four required GAF accessories



25-year algae protection warranty² with algae-fighting technology you can see



Lifetime[†] Limited Warranty on manufacturing defects



Passes UL 2218 Class 3 Impact-Resistance Test and may qualify for insurance discounts³

[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products.

¹ 15-year WindProven™ Limited Wind Warranty on GAF shingles with LayerLock® Technology requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See GAF Roofing System Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. For installations not eligible for the WindProven™ Limited Wind Warranty, see GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions.

² 25-year StainGuard Plus™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus™ logo. See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions.

³ Only Timberline HDZ® Shingles sold in packages bearing the UL 2218 Class 3 Classification statement are rated for Class 3 impact resistance. Test performed under controlled laboratory conditions. GAF makes no express or implied warranty about the impact performance of this product against hail. Hail damage is not covered under the limited warranty. Insurance discounts may not be available in your area. Where available, insurance discounts may vary. Contact your insurance provider for information.

Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.

It's a shingle that goes beyond

When comparing shingles, it's easiest to start with America's #1-selling shingle, Timberline HDZ®, and see the many ways Timberline® UHDZ™ goes beyond.



What Homeowners Expect from Timberline® Shingles	High Definition Color Palette	Yes	Yes
	LayerLock® Technology	Yes	Yes
	Fast shingle nailing with the StrikeZone® Nailing Area	Yes	Yes
	Eligible for WindProven™ Limited Wind Warranty¹ (when installed with the required combination of four qualifying GAF accessories)	Yes	Yes
	Manufacturing Defect Coverage	Lifetime¹	Lifetime¹
What Goes Beyond	Potential-Pending Dual Shadow Line	No	 Yes
	Algae Warranty	 25-year StainGuard Plus™ Limited Warranty²	 30-year StainGuard Plus PRO™ Limited Warranty²
	Algae-Fighting Technology	GAF Time-Release Technology	10% More GAF Time-Release Technology
	Maximum Workmanship Warranty	25 Years When a GAF Master Elite® Contractor installs a qualifying GAF roofing system with Timberline® HDZ™ Shingles and registers a Golden Pledge® Limited Warranty.³	30 Years When a GAF Master Elite® Contractor installs a qualifying GAF roofing system with Timberline® UHDZ™ Shingles and registers a Golden Pledge® Limited Warranty.⁴

¹ Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime Shingles only. See the GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime Shingle and at least 3 qualifying GAF Accessories. See the GAF Roofing System Limited Warranty for complete coverage and restrictions. For installations not eligible for the GAF Roofing System Limited Warranty, see the GAF Shingle & Accessory Limited Warranty. Visit gaf.com/LRS for qualifying GAF products.

² 15-year WindProven™ limited wind warranty on GAF Shingles with LayerLock® Technology requires the use of GAF Starter Strips, Roof Deck Protection, Ridge Cap Shingles, and Leak Barrier or Attic Ventilation. See GAF Roofing System Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. For installations not eligible for the GAF Roofing System Limited Warranty, see the GAF Shingle & Accessory Limited Warranty.

³ The 25-year StainGuard Plus™ or the 30-year StainGuard Plus PRO™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the appropriate StainGuard Plus™ or StainGuard Plus Pro™ logos. See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions, and qualifying products.

⁴ A qualifying GAF roofing system consists of Timberline® UHDZ™ shingles and 5 qualifying GAF accessory products. Qualifying GAF accessory products include: (1) ridge cap shingles; (2) attic ventilation; (3) starter strip shingles; (4) root deck protection; and (5) leak barrier. See gaf.com/LRS for a list of qualifying products. See GAF Golden Pledge® Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products.

⁵ 30-year misapplication coverage term applies only to single-family detached residences owned by individual(s). For all other properties, misapplication coverage term is 25 years. A qualifying GAF roofing system consists of Timberline® UHDZ™ shingles and 5 qualifying GAF accessory products. Qualifying GAF accessory products include: (1) ridge cap shingles; (2) attic ventilation; (3) starter strip shingles; (4) root deck protection; and (5) leak barrier. See gaf.com/LRS for a list of qualifying products. See GAF Golden Pledge® Limited Warranty for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products.

Unparalleled Performance




Aged Cedar




Aspen




Beechwood




Canyon Gray




Lake Forest




Natural Cedar




Weathered




Arendale



Light Arendale




New Cedar



Onyx



Sierra



White

Note: Additional Cool Colors available. Premium Blend and 1/2" 24 Cool Roof Colors are available as an up-charge from standard color pricing. Please consult your sales representative for additional information.

Description

Description	Weight	
Shake Field Tile 5"	1.2 lbs.	5" x 22"
Shake Field Tile 7"	1.6 lbs.	7" x 22"
Shake Field Tile 12"	2.8 lbs.	12" x 22"
Starter	1.6 lbs.	12" x 12"
Hip & Ridge	2.0 lbs.	5 1/2" x 6" x 14"
Solid Shake Accessory	4.7 lbs.	12" x 22"

Weight Per Square

321.1 lbs./sq.

Aesthetics

	BRAVA Cedar Shake	Natural Shake
Authentic Look	✓	✓
5/8" to 1" Thickness	✓	Varies by manufacturer
Hand Split: True-to-Life Texture	✓	✓
Mineral-Infused Process for Authentic Color	✓	✗

Performance

	BRAVA Cedar Shake	Natural Shake
Not Prohibited in Many Jurisdictions	✓	✗
Fire Retardant: Class A or Class C	✓	Varies by manufacturer; needs treatment with corrosive chemicals
Wind Resistance: 188+ mph*	✓	✗
Impact Resistance: Class 4	✓	Natural shake is vulnerable to hail
Freeze/Thaw Resistant	✓	✗
Maintenance-Free	✓	Requires replacement of individual shakes throughout life cycle
Colorfast	✓	✗
Hail Warranted	✓	✗

Installation

	BRAVA Cedar Shake	Natural Shake
Factory-Collated Color Blends	✓	✗
Factory-Collated Widths	✓	✗
Estimated Waste Factor	Low	High; shakes too narrow or broken during installation must be discarded



Made in USA

MIAMI-DADE COUNTY
APPROVED



*BRAVA tiles are tested and approved to withstand wind speeds of up to 188 mph with nails and up to 211 mph with high wind / screw installation.

Tolerances +or- 1/2". All specifications subject to change without notice.

The printed colors shown may vary from actual colors. Before making a final selection, be sure to review actual material samples and roof installations. Please contact your salesperson for further assistance.

In order to achieve certain fire and wind ratings, special installation instructions may be required. Please reference BRAVA Roof Tile installation manuals at BravaRoofTile.com for more details.

Stay informed:
Scan the QR Code
for Cedar Shake's
latest specs



BRAVA 2025

CS55.V28.0825